

বিদ্যাসাগর বিশ্ববিদ্যালয়

VIDYASAGAR UNIVERSITY

Question Paper

B.Sc. Honours Examination 2023 (Under CBCS Pattern)

Semester — II

Subject: COMPUTER SCIENCE

Paper: C-4T

(Discrete Structures)

Full Marks: 60

Time: 3 hours

Candidates are required to give their answers in their own words as far as practicable.

The figures in the margin indicate full marks.

Answer from all the Groups as directed.

GROUP-A

 Answer any ten questions from the following: 2×10=20

 \checkmark (a) If $A = \{3, 5, 6, 8\}$, $B = \{-3, 0, 6\}$, find $(A \cup B) - (A \cap B)$

(Turn Over)

- (b) Let the function $f: R \to R$ be defined by f(x) = 2x + 3, $x \in R$ (R is a set of all real numbers). If $A = \{x: 1 \le x \le 2\}$, find f(A).
- (c) Let $f: R \to R$ and $g: R \to R$ be defined by f(x) = x + 9 and $g(x) = x^2 + 3$, find $(f \circ g)(-3)$.
- (d) Draw a simple graph having degree sequence (3, 3, 3, 3, 4).
- (e) Find the number of vertices of a 4-regular 'graph with ten edges.
- Give an example of a connected graph which has a Hamiltonian path but no Hamiltonian cycle.
- (g) Find the coefficient of x^5 in $(1-2x)^{-7}$.
- (b) Find the unique solution of the recurrence relation $a_{n+1} 1.5 a_n = 0$, $n \ge 0$.
- What do you mean by weighted graph?
- Give an example of isomorphism graph.
- (k) Define reflexivity and symmetric of a relation.
- Define pigeonhole principle.
- (represented the Prove $(A \cup B)^c = A^c \cap B^c$
- (n) Define multigraph with example.
- (6) Why are asymptotic notations used?

Answer any four questions from the following:

 $5 \times 4 = 20$

- Use the principle of mathematical induction to prove that $10^{n+1} + 10^n + 1$ is divisible by 3, where n is a natural number.
- Find the number of integers between 1 and 10000 inclusive, which are divisible by none of 5, 6 or 8.
- 4. Let $A = \{1, 2, 3, 6, 9, 18\}$ and define R on A by xRy if $x \mid y$. Draw the Hasse diagram for the poset (A, R).
- 5. Determine the sequence generated by $(1-4x)^{-\frac{1}{2}}$.
- 6. If G = (V, E) is an undirected graph then prove that G is connected if and only if G has a spanning tree.

For A, B, C, \in , U, prove that $A \times (B - C) = (A \times B) - (A \times C)$.

51

GROUP-C

MENANCONNO STEP ANEBORNED (NEW XCC)

Answer any **two** questions from the following: $10 \times 2 = 20$

8. (a) Solve the recurrence relation $a_{n+1} - a_n = 3n^2 - n, n \ge 0, a_0 = 3$

714 (AVB) - (AVB) - (AVC)

THE AMEBY KEAKE

NEP (MABBUAN)

NEP (MABBUAN)

NEP (MABBUAN)

(Turn Over)

2604

- (b) Let G = (V, E) be a simple graph order n having k components. Then show that the size of G can be at most $\frac{1}{2}(n-k)(n-k+1)$. 5+5=10
- 9. (a) For primitive statements p, q, r and s, simplify the compound statement $[[(p \land q) \land r] \lor [(p \land q) \land \rightarrow r]] \lor \rightarrow q] \rightarrow S$
 - (b) If the degree of every vertex of a connected graph is even, then prove that it is an Eulerian graph. Justify the converse of the theorem. 5+5=10
- 10. (a) Prove the following by mathematical induction:

$$1^2 + 2^2 + 3^2 + \dots + (-1)^{n+1}n^2 = \frac{(-1)^{n+1}n(n+1)}{2}$$

(b) Draw the unique binary tree when the following is given:
5

Inorder	d	b	h	e	а	f	C	i	j	g
Preorder	а	b	d	e	h	c	f	\boldsymbol{g}	i	j

- by using the digits 2, 4, 1, 6, when repetition of digits is allowed?
 - (b) Prove that $p \lor (q \land r) \leftrightarrow [(p \lor q) \land (p \lor r)]$ is a tautology.

